Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	36	(manag$5 or configur$5) near3 (software or application) near3 (client or device) with xml	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/07 13:24
L2	20	1 and (@ad<"20010829" or @prad<"20010829" or @rlad<"20010829")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/07 13:25
L3	73	(manag$5 or configur$5) near3 (software or application or client or device) near5 network with xml	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/07 13:24
L4	152	(manag$5 or configur$5) near3 (software or application or client or device) near5 (server or network) with xml	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/07 13:36
L5	71	4 and (@ad<"20010829" or @prad<"20010829" or @rlad<"20010829")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/07 13:25
L6	118	(manag$5 or configur$5) near3 (software or application or client or device) near3 (server or network) with xml	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/07 13:25
L7	44	6 and (@ad<"20010829" or @prad<"20010829" or @rlad<"20010829") not 2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/07 13:36
L8	70	(manag$5 or configur$5) near3 (network) near3 xml	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/07 13:41
L9	24	8 and (@ad<"20010829" or @prad<"20010829" or @rlad<"20010829") not 2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/07 13:41
L10	324	(manag$5 or configur$5) near3 (network).clm. and xml.clm,ti,ab.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/07 13:41
L11	137	10 and (@ad<"20010829" or @prad<"20010829" or @rlad<"20010829") not 2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/07 13:42
L12	32	(manag$5 or configur$5) near3 (network).clm. and (manag$5 or configur$4) near3 xml.clm,ti,ab.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/07 13:41

L13	131	(manag$5 or configur$5) near3 (network).clm. and (manag$5 or configur$4) with xml.clm,ti,ab.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/07 13:41
L14	63	13 and (@ad<"20010829" or @prad<"20010829" or @rlad<"20010829") not 2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/07 14:16
L15	35	("6167448").URPN.	USPAT	OR	ON	2005/07/07 13:48
L16	21	15 and xml	USPAT	OR	ON	2005/07/07 14:15
L17	208	xml with command with (manag$5 or configur$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 14:16
L18	82	17 and (@ad<"20010829" or @prad<"20010829" or @rlad<"20010829") not 2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/07 14:16
L19	115	xml near4 command with (manag$5 or configur$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 14:16
L20	41	19 and (@ad<"20010829" or @prad<"20010829" or @rlad<"20010829") not 2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/07 15:00
L21	31	(xml or html or markup adj language) near3 (control$4 or command$4 or configur$4) near4 (device or client or software or application) near5 network	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/07 14:59
L22	15	21 and (@ad<"20010829" or @prad<"20010829" or @rlad<"20010829") not 2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/07/07 15:00

IEEE Search:

(manag* or configur*) <near/6> xml)

(manag* or configur*) <near/6> xml <near/5> (network or server)

(manag* or configur*) <near/6> xml and (network or server) and (command* or control*)

(manag* or configur*) <near/6> (network or server) and xml

ProQuest Search:

(manag* or configur*) w/6 xml w/5 (network or server)

(manag* or configur*) w/6 (network or server) and xml

(manag* or configur*) w/6 (network or server) and xml w/8 (command* or control* or request*)

(manag* or configur*) w/6 (network or server) and xml and (command* or control* or request*)